

Technical specification Baltic Breeze 150 Auto lifejacket



Part Number: 1495, 1496

Physical specifications

Tested and approved according to the requirements stated in EN ISO 12402-3:2020 and is in conformity with the provisions of PPE Regulation (EU)



DIMENSIONS:

Height: 54cm

Width: 30cm

Weight: 1,1Kg with harness

STRUCTURE:**Outer cover**

Fabric: Polyurethane coated Polyester.

Size range: 40-150 kg

Color: Red or Black

Stitching: 100% Bonded polyester 20's,40's.

Closing: Delrin zipper in black with double quick release openings.

Inflatable Lifejacket Chamber

Fabric: 210 Denier Nylon with a weldable polyurethane coating.

Color: Spanish yellow.

Stitching: 100% Bonded nylon 20's, 40's.

Visibility: 300 cm² Marine grade MED/SOLAS approved retro reflective tape

Waistbelt configuration

Belt: Woven PP

Dimension: Width of 40mm

Color: Black

Fastening: ITW NEXUS SS440 buckle

Crutch strap

Material: Polypropylene.

Dimensions: Crutch strap width of 30 mm.

Color: Black.

GENERAL SPECIFICATIONS:**Floatation**

Inflatable buoyancy of 165 Newton's in a single chamber.

Inflation system

One automatic, with manual backups, inflator mechanism United Moulders.

One oral inflation tube

Gas Cylinder

1 x CO₂ cylinder 33 gram.

Whistle

Marine Grade - orange in color. SOLAS / MED Approved.

ACCESSORIES:

Automatic Emergency Light: Approved to SOLAS / MED.

Sprayhood: Part no 2516 tested and approved to the European standard EN ISO 12402-8.

Color: Bright yellow with a transparent PVC film window.

Protective cover: Part no 2540 tested and approved to EN ISO 12402-8.

Molten metal splash proof cover: Part no 2541 tested and approved to EN ISO 12402-8.

Spare Parts:

Cylinder Kit	Part no 2433 33g CO ₂ cylinder
Indicator Kit	Part no 2404
Cartridge Kit	Part no 2520 Cartridge
Crutch strap Kit	Part no 2510
Retro reflective Kit	Part no 2507
Whistle	Part no 2508

Service / Inspection

Lifejackets should have a daily inspection before wear.

With a full inspection at least annually.

Service life expectation: Ten years.

Safety data

Each lifejacket contains 1 cylinders containing 33 grams of compressed Carbon Dioxide CO₂.

Hazchem Code 2XE.

Pressure 56 Bar.

Hazardous UN 2990 class 9